
Ramsey County Cooperative Weed Management Area

# NOT-WANTED

**INVASIVE FLOWERS IN YOUR LANDSCAPE!** 

### **EARLY DETECTION & CONTROL WILL PREVENT INFESTATIONS**



Dame's Rocket Common Tansy Bouncing Bet









### Ramsey County Cooperative Weed Management Area

# YOT'-WAN'

## **INVASIVE FLOWERS IN YOUR LANDSCAPE!**

These plants, mislabeled as "wildflowers" may spread from your yard to natural areas; displacing native plants and disrupting woodland, grassland or aquatic ecosystems.

**GREATER CELANDINE** (Chelidonium majus) **DAME'S ROCKET** (Hesperis matronalis) Biennial; mislabeled as celandine wood poppy, Biennial; to 4 feet tall. Leaves are alternate, inch, single or double **flowers.** Smooth upright, domestic phlox, which has 5 petals. water. Do not plant either species.

#### **OX-EYE DAISY** (Leucanthemum vulgare)

Perennial; first year forms a low growing rosette. Perennial; 3-5 feet tall. Smooth or slightly hairy, and shorelines.

#### QUEEN ANN'S LACE (Daucus carota)

garden carrot, which is the same species. Bolting untoothed leaves with 3 parallel veins, are up to stems end in 3 - 6 inch, umbrella-shaped clusters (sessile). seen in cluster centers. Blooms June - Septem- tube opening. The long calyx under each flower ber. Bracts fold up to surround bristled **seeds** is reminiscent of carnation. roadsides, fields, ditches and woodland edges, area roadsides, ditches and along stream banks. Spread by mowing, tires and planting mislabeled generic "wildflower" seed mixes or wildflowers in a can. Do not purchase seed mixes containing invasive weeds.

Stylophorum diphyllum. Both are non-native to hairy, lance-shaped, and toothed. Blooms May -Minnesota; with alternate, lobed leaves; orange August. Pink, purple or white flowers are up to 1 irritating sap. Blooms May - August. Yellow 3/4 inch across with 4 petals. Easily confused with long, seed pods unlike hairy, football shaped slender, bean-like, seedpods which grow upright poppy pods. Seeds moved to wet areas, forests at the top of the plant. Grows in full sun to full and roadsides by tires, equipment, feet and shade. Seeds transported by equipment, feet, tires, hooves and water.

### **COMMON TANSY** (Tanacetum vulgare)


**Leaves** deeply incised with prominent branched woody, **stems** are purplish red near the ground. veins. Second or third year produces a 2 - 7 foot Smooth, waxy leaves are alternate, pinnately stem. Leaves opposite, long, deeply cut, and compound, irregularly lobed and fernlike. Bright may be slightly hairy underneath. White 1 - 3 yellow flowers, up to 1/2 inch wide, in button-like inch, flowers with yellow centers. Blooms July - clusters. Aromatic when crushed. Mowing after September. **Seeds** with feathery tops spread by flowers open spreads thousands of seeds. Do wind. Threatens forest edges, prairies, roadsides Not Mow once flower buds open! CAUTION! Plant sap can irritate skin.

#### **BOUNCING BET** (Saponaria officinalis)

Biennial; first year rosette and leaves look like Perennial; up to 30 inches high. Opposite, oval, plants up to three feet high. Single or branched 4 inches long and attached directly to stems One inch long flowers have five of tiny white flowers, subtended by many long notched, white or pink petals that reflex over branching bracts. A few dark red flowers may be time. Style and stamen protrude from the floral Blooms July forming distinctive nest or cage-like tops. Infests September. Spreading along Twin Cities Metro







RAMSEY COUNTY COOPERATIVE WEED MANAGEMENT AREA (RCCWMA) A RAMSEY CONSERVATION DISTRICT PROGRAM Contact carole.gernes@rwmwd.org; (651) 792-7977